

COTAS DE INSTALAÇÃO (RECOMENDADAS) INSTALLATION DIMENSIONS (RECOMMENDED) COTES D'INSTALLATION (RECOMMANDÉE)
COTAS DE INSTALACIÓN (RECOMENDADAS) QUOTE DI INSTALLAZIONE (CONSIGLIATE)

	A	B	C	D	E	F	G
CETUS	420	115	180	330	180	100	300
JADE	420	170	235	350	230	100	300
MILLENNIUM	420	185	250	355	230	100	300
NAU	420	195	260	345	180	100	300
URB.Y	420	115	180	340	180	100	300
URB.Y 52	420	115	180	340	180	100	300
NEWDAY	420	190	255	345	180	100	300
REFLEX	420	170	235	345	180	100	300
WCA	420	145	210	320	230	100	-
ADVANCE	420	194	259	354	180	100	-
EASY	420	105	170	355	180	100	-
LOOK	420	155	165	350	180	-	300
SANLIFE	420	145	170	345	180	150	300
SANIBOLD	420	145	155	340	180	-	130
STATUS	420	110	240	355	180	130	-




FIX FIXAÇÃO FIJACIÓN FIXATION PUNTI DI FISSAGGIO

H²O ENTRADAS DE ÁGUA TOMA DE AGUA WATER SUPPLY
ALIMENTATION D'EAU ENTRATA D'ACQUA





D> DESCARGA FLUSH CHASSE DESAGÜE SCARICO

S SOLO SUELO FINISH FLOOR SOL FINI SUOLO




REF. 430

REF. 439



A min 70 mm


5



A max 300 mm


REF. 430 / REF. 439

6




REF. 430 / REF. 439

7




REF. 430

7



REF. 439


8



REF. 430 / REF. 439


Para aplicação tubo Pex **For Pex tube application** Para aplicación tubo Pex
Pour application tube Pex Per l'applicazione del tubo Pex

9




REF. 430 / REF. 439

não incluido
not included
no incluido
pas inclus
non incluso




10



REF. 430 / REF. 439

11



REF. 430 / REF. 439